CI (Shanghai) DEVELOPMENT CO., LTD.

3-Isopropoxyaniline

Revision number: 1

Revision date: 11/30/2010

Page 1 of 4

Revision date: 11/30/2010

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product name: **Product code:** Company: Address: **Responsible Department:** Telephone: Fax: e-mail: **Revision number:**

3-Isopropoxyaniline 10448 TCI (Shanghai) DEVELOPMENT CO., LTD. No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Sales Department +86-(0)21-67121386 +86-(0)21-67121385 sales@tcishanghai.com.cn 1

2. HAZARDS IDENTIFICATION **Classification of the GHS PHYSICAL HAZARDS HEALTH HAZARDS** Skin corrosion/irritation Serious eye damage/eye irritation **ENVIRONMENTAL HAZARDS GHS** label elements Pictograms or hazard symbols



Signal word Hazard statement

Precautionary statements [Prevention]

[Response]

Not classified

Category 2 Category 2A Not classified

Warning Causes skin irritation Causes serious eye irritation

Wash hands thoroughly after handling. Wear protective gloves/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Component(s):	3-Isopropoxyaniline
Percent:	>98.0%(GC)
CAS Number:	41406-00-2
Chemical Formula:	C ₉ H ₁₃ NO

4. FIRST AID MEASURES

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

4. FI	RST AID MEASURES	
	Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present
		and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
	-	
	Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-
		tight goggles.
5 51		
э. гі	RE-FIGHTING MEASURES Suitable extinguishing	Dry chemical, foam, water spray, carbon dioxide.
	media:	bry chemical, roam, water spray, carbon dioxide.
	Extinguishing media not to	Solid streams of water
	be used:	
	Specific hazards:	Take care as it may decompose upon combustion or in high temperatures to
		generate poisonous fume.
	Specific methods:	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing
		method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable
		containers if safe to do so.
	Special protective	When extinguishing fire, be sure to wear personal protective equipment.
	equipment for firefighters:	
6. A	CCIDENTAL RELEASE ME	
	Personal precautions,	Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled
	protective equipment and emergency procedures:	around the leakage area by roping off, etc.
		Prevent product from entering drains.
	Methods and materials for	Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust).
	containment and cleaning	In case of large amount of spillage, contain a spill by bunding. Adhered or collected
	up:	material should be promptly disposed of, in accordance with appropriate laws and
	up:	material should be promptly disposed of, in accordance with appropriate laws and regulations.
7. H		
	ANDLING AND STORAGE	
7. H <i>i</i> <u>Hanc</u>	ANDLING AND STORAGE	regulations.
	ANDLING AND STORAGE	
	ANDLING AND STORAGE lling Technical measures:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated.
<u>Hanc</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling.
	ANDLING AND STORAGE lling Technical measures: Advice on safe handling: age	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing.
<u>Hanc</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator.
<u>Hanc</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling: age	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas.
<u>Hanc</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling: age Storage conditions:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents.
<u>Hanc</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling: age	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas.
<u>Hano</u>	ANDLING AND STORAGE lling Technical measures: Advice on safe handling: age Storage conditions:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed.
<u>Hano</u>	ANDLING AND STORAGE <u>Alling</u> Technical measures: Advice on safe handling: <u>age</u> Storage conditions: Packaging material:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. FRSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be
<u>Hano</u>	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
<u>Hano</u>	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent
<u>Hano</u>	ANDLING AND STORAGE ding Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations.
<u>Hano</u>	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves.
<u>Hano</u>	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection: Eye protection:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires.
<u>Hano</u>	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection: Eye protection:	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves.
<u>Hanc</u> <u>Stora</u> 8. E)	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection: Eye protection: Skin and body protection: HYSICAL AND CHEMICAL	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES
<u>Hanc</u> <u>Stora</u> 8. E)	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection: Eye protection: Skin and body protection: HYSICAL AND CHEMICAL Physical state (20°C):	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Liquid
<u>Hanc</u> <u>Stora</u> 8. E)	ANDLING AND STORAGE dling Technical measures: Advice on safe handling: age Storage conditions: Packaging material: KPOSURE CONTROLS / PE Engineering controls: Personal protective equipm Respiratory protection: Hand protection: Eye protection: Skin and body protection: HYSICAL AND CHEMICAL	regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapor or mist. Wash hands and face thoroughly after handling. Use a ventilation, local exhaust if vapor or aerosol will be generated. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Store in a refrigerator. Store under inert gas. Store away from incompatible materials such as oxidizing agents. Law is followed. ERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Vapor respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES

n number: 1 Revision date: 11/30/2010 Page 3 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling Point/Range:	245 °C
Flash Point:	No data available
Explosive limits	
Lower:	No data available
Upper:	No data available
Density:	1.03
Solubility:	No data available

10. STABILITY AND REACTIVITY

Stability:	Stable under proper conditions.
Reactivity:	No special reactivity has been reported.
Conditions to avoid:	Heat-sensitive, Air-sensitive
Incompartible materials:	oxidizing agents
Hazardous Decomposition	Carbon monoxide, Carbon dioxide, Nitrogen oxides (NOx)
Products:	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity:	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative	No data available
potential(BCF):	
Mobillity in soil	
log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law	No data available
constant(PaM ³ /mol):	

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

Hazards Class:Does not correspond to the classification standard of the United NationsUN-No:Not Listed

15. REGULATORY INFORMATION

Safe management ordinance of dangerous chemical product (State Council announces on January 26, 2002): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

16. OTHER INFORMATION

The reference company name of written contents

Company:	TCI (Shanghai) DEVELOPMENT CO., LTD.	
Address:	No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China	
Department:	R&D (Information Management) Department	
Telephone:	+86-(0)21-67121388*461	
Fax:	+86-(0)21-67121385	
MSDS was prepared sincere	y on the basis of the information we could obtained however, any warranty shall not be given regarding the data	

This MSDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority.products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.