

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 13.07.2010

Revision: 13.07.2010

1 Identification of substance

Product details

Trade name

Tungsten(VI) isopropoxide, 5% w/v in isopropanol

Stock number:

40247

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
Benzstrasse 3
D-76185 Karlsruhe / GermanyE-mail: gcat@matthey.com
www.alfa-chemcat.com

Informing department:

Product safety department.

Emergency information:

Giftnotruf Universität Mainz / Poison Information Center Mainz
www.giftnotruf.uni-mainz.de Telefon: +49(0)6131/19240

2 Hazards identification

Hazard designation:

Xi Irritant
F Highly flammable

Information pertaining to particular dangers for man and environment

R 11 Highly flammable.
R 36/38 Irritating to eyes and skin.
R 67 Vapours may cause drowsiness and dizziness.

GHS label elements

**Danger**

H225 - Highly flammable liquid and vapour.

**Warning**H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Prevention:

Response:

3 Composition/information on ingredients

Chemical characterization:

Designation: (CAS#)

Tungsten(VI) isopropoxide (CAS# 52321-90-1): 5%
Isopropanol (CAS# 67-63-0): 95%

4 First aid measures

General information

After inhalation

Instantly remove any clothing soiled by the product.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents

Water.

Special hazards caused by the material, its products of combustion or flue gases:

Can be released in case of fire:
Carbon monoxide and carbon dioxide
Metal oxide

Protective equipment:

Wear self-contained breathing apparatus.
Wear full protective suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

Measures for environmental protection:

Keep away from ignition sources

Measures for cleaning/collecting:

Do not allow material to be released to the environment without proper governmental permits.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Keep away from ignition sources.

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Additional information:

7 Handling and storage

Handling

Information for safe handling:

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

Storage

Requirements to be met by storerooms and containers:

Store in cool location.

Information about storage in one common storage facility:

Store away from oxidizing agents.
Store away from water.
Do not store together with acids.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.(Contd. on page 2)
GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 13.07.2010

Revision: 13.07.2010

Trade name **Tungsten(VI) isopropoxide, 5% w/v in isopropanol**

(Contd. of page 1)

Protect from humidity and keep away from water.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Tungsten and compounds (as W)
mg/m³

ACGIH TLV 1; 3-STEL (soluble compounds)
5; 10-STEL (insoluble compounds)

Belgium TWA 5; 10-STEL
Denmark TWA 5
Finland TWA 5
Korea TLV 5; 10-STEL
Netherlands MAC-TGG 5
Norway TWA 5
Poland TWA 5
Russia 2-STEL
Sweden NGV 5
Switzerland MAK-W 5
United Kingdom TWA 5; 10-STEL

Isopropyl alcohol (2-Propanol)
ppm

ACGIH TLV 400; 500-STEL
Austria MAK 400
Belgium TWA 400; 500-STEL
Denmark TWA 200
France VLE 400
Germany MAK 400
Ireland TWA 400; 500-STEL (skin)
Japan TWA 400-STEL
Korea TWA 400; 500-STEL
Netherlands MAC-TGG 400 (skin)
Norway TWA 100
Poland TWA 900; 1200-STEL
Russia TWA 400-STEL
Sweden NGV 150; 250-STEL
Switzerland MAK-W 400
United Kingdom TWA 400; 500-STEL
OSHA PEL 400
No data

Additional information:

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Use breathing protection with high concentrations.
Safety glasses
Tightly sealed safety glasses.
Full face protection
Face protection
Protective work clothing.

Breathing equipment:

Eye protection:

Body protection:

9 Physical and chemical properties:

General Information

Form: Solution
Colour: Yellow
Smell: Alcohol-like

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: 12°C (isopropanol)

Ignition temperature: Not determined

Decomposition temperature: Not determined

Critical values for explosion:

Lower: Not determined
Upper: Not determined

Steam pressure: Not determined

Density: Not determined

Solubility in / Miscibility with
Water:

Hydrolyzes

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Materials to be avoided:

Water/moisture
Oxidizing agents
Acids

Dangerous reactions:

No dangerous reactions known

Dangerous products of decomposition:

Carbon monoxide and carbon dioxide
Metal oxide

11 Toxicological information

Acute toxicity:

Primary irritant effect: on the skin:

Irritant for skin and mucous membranes.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 13.07.2010

Revision: 13.07.2010

Trade name **Tungsten(VI) isopropoxide, 5% w/v in isopropanol**

(Contd. of page 2)

on the eye: Irritant effect.
Sensitization: No sensitizing effect known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
 IARC-3: Not classifiable as to carcinogenicity to humans.
 ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

12 Ecological information:

Additional ecological information:
General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
 Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
 Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:
Recommendation: Consult state, local or national regulations for proper disposal.
 Hand over to disposers of hazardous waste.
 Must be specially treated under adherence to official regulations.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)



ADR/RID-GGVS/E Class: 3 (F1) Flammable liquids.
Kemler Number: 338
UN-Number: 1219
Packaging group: II
Label: 3
Designation of goods: 1219 ISOPROPANOL (ISOPROPYL ALCOHOL)
Limited quantities (LQ) LQ4
Transport category 2
Tunnel restriction code D/E

Maritime transport IMDG/GGVSea:



IMDG/GGVSea Class: 3
UN Number: 1219
Label: 3
Packaging group: II
EMS Number: F-E,S-D
Marine pollutant: No
Correct technical name: ISOPROPANOL (ISOPROPYL ALCOHOL)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 3
UN/ID Number: 1219
Label: 3
Packaging group: II
Correct technical name: ISOPROPANOL (ISOPROPYL ALCOHOL)

UN "Model Regulation":

UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

Designation according to EC guidelines:

Code letter and hazard designation of product:



Xi Irritant
 F Highly flammable

Risk phrases:

11 Highly flammable.
 36/38 Irritating to eyes and skin.
 67 Vapours may cause drowsiness and dizziness.

Safety phrases:

16 Keep away from sources of ignition - No smoking.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 37 Wear suitable gloves.

National regulations

Information about limitation of use:

For use only by technically qualified individuals.
 Employment restrictions concerning young persons must be observed.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Contact: Zachariah Holt

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 13.07.2010

Revision: 13.07.2010

Trade name ***Tungsten(VI) isopropoxide, 5% w/v in isopropanol***

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. of page 3)

GB