Printing date 13.07.2010	Revision: 13.07.2010
1 Identification of substance	
Product details Trade name	Osmium, plasma standard solution, Specpure ®, Os 1000 µg/ml
Stock number:	<u>OS 1000 µg/mi</u> 13871
Manufacturer/Supplier:	Alfa Aesar GmbH & Co.KG Benzstrasse 3 E-mail: gcat@matthey.com
Informing department:	D-76185 Karlsruhe / Germany www.alfa-chemcat.com
Emergency information:	Product safety department. Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240
2 Hazards identification	
Hazard designation:	C Corrosive
Information pertaining to particular dangers for man and environment	R 34 Causes burns.
GHS label elements	Danger
	H314 - Causes severe skin burns and eye damage. Warning
Prevention:	H335 - May cause respiratory irritation. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response:	P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage: Disposal:	P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
3 Composition/information on ingredient	s
Chemical characterization: Designation: (CAS#)	Hydrochloric acid (CAS# 7647-01-0), 20%
Identification number(s): EINECS Number: Index number:	231-595-7 017-002-01-X
Additonal information:	Elements and concentrations in micrograms/milliliter are as follows (balance is water): Os 1000
4 First aid measures	
General information After inhalation	Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Seek immediate medical advice.
After skin contact	Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.
After eye contact After swallowing	Rinse opened eye for several minutes under running water. Then consult doctor. Seek immediate medical advice.
5 Fire fighting measures	Use fire fighting measures that suit the environment.
Suitable extinguishing agents Special hazards caused by the material, its products of combustion or flue gases:	
Protective equipment:	Can be released in case of fire: Hydrogen chloride (HCI) Wear self-contained breathing apparatus. Wear full protective suit.
6 Accidental release measures	
Person-related safety precautions:	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
Measures for environmental protection: Measures for cleaning/collecting:	Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Use neutralizing agent. Dispose of contaminated material as waste according to item 13.
Additional information:	Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.
7 Handling and storage	
Handling Information for safe handling:	Keep containers tightly sealed.
Information about protection against	Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.
explosions and fires:	No special measures required.
Storage Requirements to be met by storerooms and containers:	No special requirements.
Information about storage in one common storage facility:	Do not store together with alkalis (caustic solutions).
Further information about storage conditions:	Store away from metals. Keep container tightly sealed.
	Store in cool, dry conditions in well sealed containers. Store in a locked cabinet or with access restricted to technical experts or their assistants.
	GB -

Revision: 13.07.2010

(Contd. of page 1)

Trade name Osmium, plasma standard solution, Specpure ®, Os 1000 μg/ml

8 Exposure controls and personal protection

8 Exposure controls and personal protect	
Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with critical values that require monitoring at the workplace:	
monitoring at the workplace.	Hydrogen chloride
	ACGIH TLV 2-Ceiling
	Austria MAK 5
	Belgium 5-STEL Denmark TWA 5
	Finland 5-STEL (skin)
	France VLE 5 Germany MAK _ 5
	Hungarý 5-STEL Japan 5-STEL
	Korea TLV 5-Ceiling
	Norway TWA 5 Poland TWA 5 mg/m3; 7 mg/m3-Ceiling
	Russia 5-STEL Sweden 5-STEL
	Switzerland MAK-W 5; 10-KZG-W
	United Kingdom TWA 1; 5-STEL USA PEL 5-Ceiling
Additional information:	No data
Personal protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.
	Do not inhale gaises / fumes / aerosols. Avoid contact with the eyes and skin.
Breathing equipment:	Use breatning protection with high concentrations.
Eye protection:	Safety glasses Tightly sealed safety glasses.
	Full face protection
Body protection:	Protective work clothing.
9 Physical and chemical properties:	
General Information	
Form: Smell:	Liquid Characteristic
Change in condition Melting point/Melting range:	Not determined
Boiling point/Boiling range: Sublimation temperature / start:	Approx. 1 °C Not determined
Flash point:	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product is not explosive.
Critical values for explosion: Lower: Upper:	Not determined Not determined
Steam pressure:	Not determined
Density at 20°C	Approx. 1 g/cm ³
10 Stability and reactivity	
Thermal decomposition / conditions to be	
avoided: Materials to be avoided:	No decomposition if used and stored according to specifications. Alkali metals
	Bases
	Metal powders Sulfides
1	Aqueous solutions are incompatible with alkali and alkaline earth metals and many reactive organic and inorganic chemicals.
Dangerous reactions:	Reacts with alkaline metals
Dangerous products of decomposition:	Reacts with alkali and metals Hydrogen chloride (HCI)
11 Toxicological information	
Acute toxicity: LD/LC50 values that are relevant for	
LD/LC50 values that are relevant for classification:	ORL-RBT LD50: 900 mg/kg (HCI)
	ORL-RBT LD50: 900 mg/kg (HCI) INH-RAT LC50: 3124 ppm/1H (HCI) IHL-HMN LCL0: 1300 ppm/30M (HCI)
Drimony irritant affacts	IHL-HMN LCLo: 1108 ppm/5M (HCI)
Primary irritant effect: on the skin:	Corrosive effect on skin and mucous membranes.
on the eye:	Irritant for skin and mucous membranes. Strong corrosive effect.
Sensitization:	Irritant effect. No sensitizing effect known.
Additional toxicological information:	No sensitizing energy interaction of esophagus

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus

Sensitization: Additional toxicological information:

and stomach. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. (Contd. on page 3)

Revision: 13.07.2010

Trade name Osmium, plasma standard solution, Specpure ®, Os 1000 μg/ml		
	(Contd. of page 2) No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
12 Ecological information:		
Additional ecological information: General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.	
13 Disposal considerations		
Product: Recommendation	Consult state, local or national regulations for proper disposal. Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.	
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.	
14 Transport information		
Land transport ADR/RID and GGVS/GGVE (c	cross-border/domestic)	
ADR/RID-GGVS/E Class: Kemler Number:	8 (C1) Corrosive substances.	
UN-Number: Packaging group:	1789 II	
Label Designation of goods:	8 1789 HYDROCHLORIC ACID	
Limited quantities (LQ) Transport category Tunnel restriction code	LQ22 E	
Maritime transport IMDG/GGVSea:		
IMDG/GGVSea Class:	8	
UN Number: Label	1789 8	
Packaging group: Marine pollutant: Segregation groups	ll No Acids	
Correct technical name: Air transport ICAO-TI and IATA-DGR:	HYDROCHLORIC ACID	
All transport ICAO-11 and IATA-DOR.		
$\mathbf{\nabla}$		
ICAO/IATA Class:	8 1789	
UN/ID Number: Label	8	
Packaging group: Correct technical name:	II HYDROCHLORIC ACID	
UN "Model Regulation":	UN1789, HYDROCHLORIC ACID, 8, II	
15 Regulatory information		
Designation according to EC guidelines:		
Code letter and hazard designation of product:		
Risk phrases:	34 Causes burns.	
Safety phrases:	Do not breathe fumes. 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
	 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). 	
National regulations		
Information about limitation of use:	Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals.	
Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.	
conformance with this Material Safety Data Shee	supplement to other information gathered by them, and should make independent judgement of suitability of this health and safety of employees. This information is furnished without warranty, and any use of the product not in t, or in combination with any other product or process, is the responsibility of the user.	
Contact:	: Health, Safety and Environmental Department. Zachariah Holt	
Abbreviations and acronyms:	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Rehement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International	
	Transport of Dangerous Goods by Rail) IMDC: International Maritime Code for Dangerous Goods	
	IA TA: International AIF Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization	
	ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: Furonean Inventory of Existing Commercial Chemical Systemces	
	 Health, Safety and Environmental Department. Zachariah Holt ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDC: International Martime Code for Dangerous Goods IATA: International Martime Code for Dangerous Goods IATA: DR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO: International Civil Aviation Organization ICAO: International System of Classification and Labelling of Chemicals EINECS: Europeen Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent 	
L	GB	