E-mail: gcat@matthey.com

www.alfa-chemcat.com

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 21.08.2010 Revision: 21.08.2010

1 Identification of substance

**Product details** 

Trade name **DL-Lactide** Stock number: 109026

Alfa Aesar GmbH & Co.KG Manufacturer/Supplier:

Benzstrasse 3 D-76185 Karlsruhe / Germany

Informing department:

Product safety department. Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240 **Emergency information:** 

R 36/37 Irritating to eyes and respiratory system.

2 Hazards identification

Hazard designation:

Xi Irritant

Warning

Information pertaining to particular dangers for man and environment GHS label elements

Prevention:

H319 - Causes serious eye irritation.

Response:

H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Storage:

Disposal: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Designation: (CAS#) Identification number(s): EINECS Number:

DL-Lactide (CAS# 95-96-5): 100%

202-468-3

4 First aid measures

After skin contact

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms

persist. Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice. After eye contact After swallowing Rinse opened eye for several minutes under running water. Then consult doctor.

Seek immediate medical advice

5 Fire fighting measures

Suitable extinguishing agents Special hazards caused by the material, its products of combustion or flue gases:

Protective equipment:

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Can be released in case of fire: Carbon monoxide and carbon dioxide
Wear self-contained breathing apparatus.

Wear full protective suit.

6 Accidental release measures

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Measures for environmental protection:

Measures for cleaning/collecting: Additional information:

Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

Keep ignition sources away - Do not smoke.

7 Handling and storage

Handling Information for safe handling:

Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Requirements to be met by storerooms and containers:

Information about storage in one common storage facility:

No special requirements.

Store away from water

Store away from oxidizing agents.

Further information about storage

conditions:

Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Protect from humidity and keep away from water.

Refrigerate

8 Exposure controls and personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace: Additional information:

Not required. No data

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 21.08.2010 Revision: 21.08.2010

Trade name *DL-Lactide* 

Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

Use breathing protection with high concentrations.

Breathing equipment: Protection of hands: Material of gloves

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Impervious gloves Not determined Penetration time of glove material Safety glasses Face protection Eye protection: **Body protection:** Protective work clothing.

9 Physical and chemical properties:

**General Information** 

Form: Colour: Crystalline powder White Not determined Smell:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 122-126°C 138-142°C (8 mmHg) Not determined

180°C Flash point:

Ignition temperature: Not determined **Decomposition temperature:** Not determined

Danger of explosion: Product is not explosive.

Critical values for explosion:

Lower: Not determined Upper: Not determined Steam pressure: Not determined Density Not determined

Solubility in / Miscibility with Water:

10 Stability and reactivity

Thermal decomposition / conditions to be

avoided: Materials to be avoided:

No decomposition if used and stored according to specifications. Water/moisture

Oxidizing agents
No dangerous reactions known Dangerous reactions:

Dangerous products of decomposition: Carbon monoxide and carbon dioxide

11 Toxicological information

Acute toxicity:

LD/LC50 values that are relevant for classification:

Oral LD50 >5000 mg/kg (rat) LD50 >2000 mg/kg (rabbit) Dermal Irritation of eyes moderate unknown mg (rabbit)

Primary irritant effect:

on the skin:

No irritant effect.

Hvdrolvzes

Irritant for skin and mucous membranes. Irritant effect.

on the eye: Sensitization:

Additional toxicological information:

No sensitizing effect known.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA

or ACGIH.

12 Ecological information:

Additional ecological information: General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product: Recommendation

Consult state, local or national regulations for proper disposal. Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)
ADR/RID-GGVS/E Class:
None

Maritime transport IMDG/GGVSea: IMDG/GGVSea Class: Marine pollutant: None

Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: None

(Contd. on page 3)

(Contd. of page 2)

Printing date 21.08.2010 Revision: 21.08.2010

Trade name *DL-Lactide* 

Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

Designation according to EC guidelines:

Code letter and hazard designation of product:

Xi Irritant

Risk phrases:

36/37 Irritating to eyes and respiratory system.

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

National regulations Information about limitation of use:

Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet:
Contact:
Abbreviations and acronyms:

Health, Safety and Environmental Department.
Zachariah Holt
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Air Transport Association
IATA: International Air Transport Association
IATA: DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Hamonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

GB