

1 Identification of substance**Product details****Trade name****(R)-(-)-2-Amino-1-butanol****Stock number:**

B25212, L10702

Manufacturer/Supplier:Alfa Aesar GmbH & Co.KG
Benzstrasse 3
D-76185 Karlsruhe / GermanyE-mail: gcat@matthey.com
www.alfa-chemcat.com**Informing department:**

Product safety department.

Emergency information:Giftnotruf Universität Mainz / Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240**2 Hazards identification****Hazard designation:**

C Corrosive

Information pertaining to particular dangers for man and environmentR 22 Harmful if swallowed.
R 34 Causes burns.**GHS label elements****Danger**

H314 - Causes severe skin burns and eye damage.

**Warning**

H302 - Harmful if swallowed.

Prevention:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309

IF exposed or if you feel unwell:

P310

Immediately call a POISON CENTER or doctor/physician.

3 Composition/information on ingredients**Chemical characterization:****Designation: (CAS#)**

(R)-(-)-2-Amino-1-butanol (CAS# 5856-63-3)

Identification number(s):**EINECS Number:**

227-476-4

4 First aid measures**General information
After inhalation**Instantly remove any clothing soiled by the product.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.**After skin contact**Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly.**After eye contact**Seek immediate medical advice.
Rinse opened eye for several minutes under running water. Then consult doctor.**After swallowing**

Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents
Special hazards caused by the material, its
products of combustion or flue gases:**CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.**Protective equipment:**Can be released in case of fire:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Possibly Hydrogen cyanide (HCN)
Wear self-contained breathing apparatus.
Wear full protective suit.**6 Accidental release measures****Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

Ensure adequate ventilation

Measures for cleaning/collecting:Do not allow material to be released to the environment without proper governmental permits.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.**Additional information:**Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.**7 Handling and storage****Handling****Information for safe handling:**Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.**Information about protection against
explosions and fires:**

Keep ignition sources away - Do not smoke.

Storage**Requirements to be met by storerooms and
containers:**

No special requirements.

**Information about storage in one common
storage facility:**Store away from oxidizing agents.
Store away from air.
Store away from water.
Do not store together with acids.**Further information about storage
conditions:**Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and keep away from water.
Store in a locked cabinet or with access restricted to technical experts or their assistants.

Trade name (R)-(-)-2-Amino-1-butanol

This product is air sensitive.

(Contd. of page 1)

8 Exposure controls and personal protection

Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with critical values that require monitoring at the workplace:	Not required.
Additional information:	No data
Personal protective equipment	The usual precautionary measures should be adhered to in handling the chemicals.
General protective and hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.
Breathing equipment:	Use breathing protection with high concentrations.
Protection of hands:	Check protective gloves prior to each use for their proper condition.
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Eye protection:	Face protection Safety glasses Tightly sealed safety glasses.
Body protection:	Full face protection Protective work clothing.

9 Physical and chemical properties:

General Information	
Form:	Liquid
Colour:	Colourless
Smell:	Amine-like
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	176-178°C
Sublimation temperature / start:	Not determined
Flash point:	89°C
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined
Upper:	Not determined
Steam pressure:	Not determined
Density at 20°C	0.947 g/cm ³
Solubility in / Miscibility with Water:	Fully miscible
pH-value (9 g/l) at 20°C:	11.1

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Materials to be avoided:	Oxidizing agents Acids Air Carbon dioxide Water/moisture Aluminum and aluminum alloys. Copper and copper alloys
Dangerous reactions:	No dangerous reactions known
Dangerous products of decomposition:	Carbon monoxide and carbon dioxide Nitrogen oxides (NO _x) Possibly Hydrogen cyanide (HCN)

11 Toxicological information

Acute toxicity:	
Primary irritant effect:	Corrosive effect on skin and mucous membranes.
on the skin:	Strong corrosive effect.
on the eye:	No sensitizing effect known.
Sensitization:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Additional toxicological information:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

Additional ecological information:	
General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

Product:	
Recommendation	Hand over to disposers of hazardous waste.

(Contd. on page 3)

Trade name (R)-(-)-2-Amino-1-butanol

Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

(Contd. of page 2)

**Uncleaned packagings:
Recommendation:**

Disposal must be made according to official regulations.

14 Transport information**Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)**

ADR/RID-GGVS/E Class: 8 (C7) Corrosive substances.
Kemler Number: 80
UN-Number: 2735
Packaging group: III
Label: 8
Designation of goods: 2735 AMINES, LIQUID, CORROSIVE, N.O.S. ((R)-(-)-2-Amino-1-butanol)
Limited quantities (LQ): LQ7
Transport category: 3
Tunnel restriction code: E

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class: 8
UN Number: 2735
Label: 8
Packaging group: III
Marine pollutant: No
Segregation groups: Alkalis
Correct technical name: AMINES, LIQUID, CORROSIVE, N.O.S. ((R)-(-)-2-Amino-1-butanol)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 8
UN/ID Number: 2735
Label: 8
Packaging group: III
Correct technical name: AMINES, LIQUID, CORROSIVE, N.O.S. ((R)-(-)-2-Amino-1-butanol)
UN "Model Regulation": UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., 8, III

15 Regulatory information**Designation according to EC guidelines:****Code letter and hazard designation of product:**

C Corrosive

Risk phrases:

22 Harmful if swallowed.
34 Causes burns.

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

National regulations**Information about limitation of use:**

Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:** ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)