	according to 1907/2006/EC, Article 31	
Printing date 26.08.2010		Revision: 26.08.2010
1 Identification of substance		
Product details		
Trade name	3-Buten-1-amine	
Stock number:	L20157	
Manufacturer/Supplier:	Alfa Aesar GmbH & Co.KG Benzstrasse 3	E mail: goat@matthay.com
	D-76185 Karlsruhe / Germany	E-mail: gcat@matthey.com www.alfa-chemcat.com
Informing department:	Product safety department.	
Emergency information:	Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240	
2 Hazards identification		
Hazard designation:	E C Corrosive F Highly flammable	
he former of the second of the base of the second		
Information pertaining to particular dangers for man and environment	R 11 Highly flammable.	
GHS label elements	R 34 Causes burns.	
Ond laber elements	Danger	
	H225 - Highly flammable liquid and vapour.	
	Danger	
Proventier	H314 - Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contar	
Prevention:	P210 Reep away from hearsparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment.	
Response:	P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contar with water/shower.	ninated clothing. Rinse skin
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.	Remove contact lenses, if
Storage:	present and easy to do. Continue rinsing. P405 Store locked up.	
Storage: Disposal:	P501 Dispose of contents/container in accordance with local/regional/national/int	ernational regulations.
3 Composition/information on ingredient	ş	
Chemical characterization:	-	
Designation: (CAS#)	3-Buten-1-amine (CAS# 2524-49-4): 100%	
4 First aid measures		
General information	Instantly remove any clothing soiled by the product.	
After inhalation	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Cor persist.	sult doctor if symptoms
	Seek immediate medical advice.	
After skin contact	Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact	Rinse opened eye for several minutes under running water. Then consult doctor. Seek immediate medical advice.	
After swallowing		
5 Fire fighting measures		
Suitable extinguishing agents	Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but	may be used for cooling
Special hazards caused by the material, its	exposed containers.	
products of combustion or flue gases:	Can be released in case of fire: Carbon monoxide and carbon dioxide	
Protoctivo oguinment	Nitrogen oxides (NOx) Wear self-contained breathing apparatus.	
Protective equipment:	Wear full protective suit.	
C Appidental valance managemen		
6 Accidental release measures	Wear protective equipment Keep upprotected persons query	
Person-related safety precautions:	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
Measures for environmental protection:	Keep away from ignition sources Do not allow material to be released to the environment without proper governme	ental permits
Measures for cleaning/collecting:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binder	ers, sawdust).
	Use neutralizing agent. Dispose of contaminated material as waste according to item 13.	
	Ensure adequate ventilation.	
Additional information:	Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment.	
	See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.	
7 Handling and starses		
7 Handling and storage		
Handling Information for safe handling:	Handle under dry protective gas.	
_	Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.	
Information about protoction of the	Ensure good ventilation/exhaustion at the workplace.	
Information about protection against explosions and fires:	Keep ignition sources away - Do not smoke.	
· ·	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.	
Storage	anes can combine with an to form an expressive mixture.	
Requirements to be met by storerooms and	Others in each location	
containers: Information about storage in one common	Store in cool location.	
storage facility:	Store away from oxidizing agents.	
Further information about storage	Store away from air.	
conditions:	Store under dry inert gas. Keep container tightly sealed.	
	Store in cool, dry conditions in well sealed containers.	aiatanta
	Store in a locked cabinet or with access restricted to technical experts or their as	sistants. (Contd. on page 2)
		<u>GB</u>

Revision: 26.08.2010

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 26.08.2010

Trade name 3-Buten-1-amine		
	(Contd. of page 1)	
0.5		
8 Exposure controls and personal protect Additional information about design of technical systems:	Tron Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Components with critical values that require monitoring at the workplace: Additional information:	•	
Personal protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.	
Breathing equipment: Protection of hands: Material of gloves	Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.	
Eye protection: Body protection:	Face protection Safety glasses Tightly sealed safety glasses. Full face protection Protective work clothing.	
9 Physical and chemical properties: General Information		
Form: Colour: Smell:	Liquid Colourless Amine-like	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 74-77°C Not determined	
Flash point:	-5°C	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Critical values for explosion: Lower: Upper:	Not determined Not determined	
Steam pressure:	Not determined	
Density at 20°C Solubility in / Miscibility with	0.777 g/cm ³	
Water:	Fully miscible	
10 Stability and reactivity Thermal decomposition / conditions to be avoided: Materials to be avoided:	No decomposition if used and stored according to specifications. Air Carbon dioxide Oxidizing agents	
Dangerous reactions: Dangerous products of decomposition:	Acids No dangerous reactions known Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)	
11 Toxicological information		
Acute toxicity: Primary irritant effect: on the skin: on the eye: Sensitization: Additional toxicological information:	Corrosive effect on skin and mucous membranes. Irritant for skin and mucous membranes. Strong corrosive effect. Irritant effect. No sensitizing effect known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
12 Ecological information:		
Additional ecological information: General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.	
13 Disposal considerations		
Product: Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.	
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.	
	(Contd. on page 3)	

Revision: 26.08.2010

Trade name 3-Buten-1-amine	
	(Contd. of page 2)
14 Transport information	
Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)
۲	
ADR/RID-GGVS/E Class: Kemler Number: UN-Number: Packaging group: Label Designation of goods: Limited quantities (LQ) Transport category	3 (FC) Flammable liquids. 338 2733 II 3+8 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S. (3-Buten-1-amine) LQ4 2
Tunnel restriction code	D/E
Maritime transport IMDG/GGVSea:	
IMDG/GGVSea Class: UN Number: Label Packaging group: Marine pollutant: Segregation groups Correct technical name:	3 2733 3+8 II No Alkalis AMINES, FLAMMABLE, CORROSIVE, N.O.S. (3-Buten-1-amine)
Air transport ICAO-TI and IATA-DGR:	
ICAO/IATA Class: UN/ID Number: Label Packaging group: Correct technical name:	3 2733 3+8 II AMINES, FLAMMABLE, CORROSIVE, N.O.S. (3-Buten-1-amine)
UN "Model Regulation":	UN2733, AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II
15 Regulatory information Designation according to EC guidelines: Code letter and hazard designation of product:	C Corrosive F Highly flammable
Risk phrases:	11 Highly flammable. 34 Causes burns.
Safety phrases:	 Keep away from sources of ignition - No smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 36/37/39 Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
National regulations	
Information about limitation of use:	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed.
Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.
this information to ensure proper use and prote	a supplement to other information gathered by them, and should make independent judgement of suitability of ect the health and safety of employees. This information is furnished without warranty, and any use of the product ata Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing data specification shee Contact: Abbreviations and acronyms:	t: Health, Safety and Environmental Department. Zachariah Holt ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Air Transport Association IATA: International Air Transport Association IATA: International Air Transport Association IATA: International Civil Aviation Organization ICAO: Thermational Instructions by the "International Air Transport Association" (IATA) ICAO: Thermational Instructions by the "International Civil Aviation Organization" (ICAO) GHA: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)