

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.07.2010

Revision: 23.07.2010

1 Identification of substance**Product details****Trade name*****n-Butyl propionate*****Stock number:**

B20125

Manufacturer/Supplier:Alfa Aesar GmbH & Co.KG
Benzstrasse 3
D-76185 Karlsruhe / GermanyE-mail: gcat@matthey.com
www.alfa-chemcat.com**Informing department:**

Product safety department.

Emergency information:Giftnotruf Universität Mainz / Poison Information Center Mainz
www.giftnotruf.uni-mainz.de Telefon: +49(0)6131/19240**2 Hazards identification****Hazard designation:**
Information pertaining to particular dangers for man and environment
GHS label elements

void

R 10 Flammable.

**Warning**

H226 - Flammable liquid and vapour.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Prevention:**Response:****Disposal:****3 Composition/information on ingredients****Chemical characterization:**

n-Butyl propionate (CAS# 590-01-2): 100%

Designation: (CAS#)**Identification number(s):**

209-669-5

EINECS Number:

607-029-00-3

Index number:**4 First aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

After swallowing

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek immediate medical advice.

5 Fire fighting measures**Suitable extinguishing agents**
Special hazards caused by the material, its products of combustion or flue gases:

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Protective equipment:

Can be released in case of fire:

Carbon monoxide and carbon dioxide

Wear self-contained breathing apparatus.

Wear full protective suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Keep away from ignition sources.

Additional information:

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage**Handling****Information for safe handling:**

Keep containers tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Storage**Requirements to be met by storerooms and containers:**

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Not required.

Additional information:

No data

Personal protective equipment**General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Use breathing protection with high concentrations.

Breathing equipment:(Contd. on page 2)
GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.07.2010

Revision: 23.07.2010

Trade name ***n-Butyl propionate***

(Contd. of page 1)

Protection of hands:	Check protective gloves prior to each use for their proper condition.
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Eye protection:	Safety glasses
Body protection:	Face protection Protective work clothing.

9 Physical and chemical properties:**General Information**

Form:	Liquid
Colour:	Colourless
Smell:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	144-146°C
Sublimation temperature / start:	Not determined
Flash point:	38°C
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Critical values for explosion:	
Lower:	Not determined
Upper:	Not determined
Steam pressure:	Not determined
Density at 20°C	0.87 g/cm³
Solubility in / Miscibility with Water:	Slightly soluble

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Materials to be avoided:	Oxidizing agents
Dangerous reactions:	No dangerous reactions known
Dangerous products of decomposition:	Carbon monoxide and carbon dioxide

11 Toxicological information**Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	>14000 mg/kg (rabbit)
Irritation of skin	moderate	500 mg/24H (rabbit)
Irritation of eyes	severe	100 mg (rabbit)

Primary irritant effect:	Irritant for skin and mucous membranes.
on the skin:	Irritant effect.
on the eye:	No sensitizing effect known.
Sensitization:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Additional toxicological information:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

Additional ecological information:	Water hazard class 1 (Self-assessment): slightly hazardous for water.
General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:	
Recommendation	Consult state, local or national regulations for proper disposal. Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to official regulations.

14 Transport information**Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)**

ADR/RID-GGVS/E Class:	3 (F1) Flammable liquids.
Kemler Number:	30
UN-Number:	3272
Packaging group:	III
Label	3
Designation of goods:	3272 ESTERS, N.O.S. (n-Butyl propionate)
Limited quantities (LQ)	LQ7
Transport category	3
Tunnel restriction code	D/E

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class:	3
---------------------------	---

(Contd. on page 3)
GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 23.07.2010

Revision: 23.07.2010

Trade name ***n-Butyl propionate***

(Contd. of page 2)

UN Number: 3272
Label: 3
Packaging group: III
Marine pollutant: No
Correct technical name: ESTERS, N.O.S. (n-Butyl propionate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 3
UN/ID Number: 3272
Label: 3
Packaging group: III
Correct technical name: ESTERS, N.O.S. (n-Butyl propionate)

UN "Model Regulation":
 UN3272, ESTERS, N.O.S., 3, III

15 Regulatory information

Designation according to EC guidelines:

Risk phrases: 10 Flammable.

Safety phrases: 60 This material and its container must be disposed of as hazardous waste.

National regulations

Information about limitation of use: For use only by technically qualified individuals.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

GB