E-mail: gcat@matthey.com

www.alfa-chemcat.com

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 13.07.2010 Revision: 13.07.2010

1 Identification of substance

Product details

Trade name Lithium arsenate

Stock number:

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG Benzstrasse 3

D-76185 Karlsruhe / Germany

Informing department: Emergency information:

Product safety department. Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240

2 Hazards identification

Hazard designation:

T Toxic

N Dangerous for the environment

Information pertaining to particular dangers for man and environment

GHS label elements

R 45 May cause cancer. R 23/25 Also toxic by inhalation and if swallowed. R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Danger

H301 - Toxic if swallowed. H331 - Toxic if inhaled.

Danger

H350 - May cause cancer.

Warning

Prevention:

H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P281 Use personal protective equipment as required.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label). P405 Store locked up.

Storage: Disposal: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Designation: (CAS#) Identification number(s):

Lithium arsenate (CAS# 13478-14-3)

EINECS Number: 236-773-8 033-005-00-1 Index number:

4 First aid measures

Response:

General information

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Instantly remove any clothing soiled by the product.
Remove breathing apparatus only after soiled clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly. After inhalation

After skin contact After eye contact

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor.

Do not induce vomiting; instantly call for medical help Seek immediate medical advice. After swallowing

5 Fire fighting measures

Suitable extinguishing agents Special hazards caused by the material, its products of combustion or flue gases:

Can be released in case of fire:

Toxic metal oxide smoke
Wear self-contained breathing apparatus. Protective equipment:

Wear full protective suit.

6 Accidental release measures

Wear protective equipment. Keep unprotected persons away. Person-related safety precautions:

Vear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal. Measures for environmental protection: Measures for cleaning/collecting:

Additional information:

7 Handling and storage

Handling Information for safe handling:

Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.

Information about protection against

explosions and fires:

Keep ignition sources away - Do not smoke.

Storage Requirements to be met by storerooms and containers:

Information about storage in one common

storage facility: Further information about storage

conditions:

No special requirements.

Store away from oxidizing agents.

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

(Contd. on page 2)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 13.07.2010 Revision: 13.07.2010

Trade name Lithium arsenate

Store in a locked cabinet or with access restricted to technical experts or their assistants.

(Contd. of page 1)

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Arsenic, elemental, and inorganic compounds (except arsine), as As

mg/m3 **ACGIH TLV** 0.01; Carcinogen

Belgium TWA Denmark TWA 0.2 Carcinogen 0.2 Finland France VME

0.5; Carcinogen 0.1; Carcinogen 0.01; Carcinogen 0.05; 0.1-STEL Hungary TWA Ireland TWA Korea TLV
Netherlands TWA
Norway TWA
Poland TWA

0.02 0.1 0.03; Carcinogen 0.1; Carcinogen A 0.1; Carcinogen Sweden NGV Switzerland TWA C United Kingdom TWA USA PEL 0.5 No data

Additional information:

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. Use breathing protection with high concentrations. Safety glasses Protective work clothing.

Breathing equipment: Eye protection: Body protection:

9 Physical and chemical properties:

General Information	
Form: Smell:	Powder Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined
Flash point:	Not applicable
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product is not explosive.
Critical values for explosion: Lower: Upper:	Not determined Not determined
Steam pressure:	Not determined
Density at 20°C	3.07 g/cm ³
Solubility in / Miscibility with Water:	Insoluble

10 Stability and reactivity

Thermal decomposition / conditions to be

avoided: Materials to be avoided:

Dangerous reactions:
Dangerous products of decomposition:

No decomposition if used and stored according to specifications.

Oxidizing agents
No dangerous reactions known

Toxic metal oxide smoke

11 Toxicological information

Acute toxicity: Primary irritant effect: on the skin:

on the eye: Sensitization:

Irritant for skin and mucous membranes. Irritant effect.

Additional toxicological information:

No sensitizing effect known.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between

exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-1: Known to be carcinogenic: sufficient evidence from human studies.

Carcinogen as defined by OSHA.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or carcinogen being a bit and a side and a suppose in a second humans. convincing clinical evidence in, exposed humans.

12 Ecological information:

Ecotoxical effects:

Additional ecological information: General notes:

Very toxic for fish

Water danger class 3 (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

(Contd. on page 3)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 13.07.2010 Revision: 13.07.2010

Trade name Lithium arsenate

Very toxic for aquatic organisms

(Contd. of page 2)

13 Disposal considerations

Product:

Recommendation Consult state, local or national regulations for proper disposal.

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Uncleaned packagings: Recommendation

Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)

ADR/RID-GGVS/E Class: 6.1 (T5) Toxic substances.

Kemler Number: 60 1557 II UN-Number: Packaging group: Label

6.1

Symbol (fish and tree) 1557 ARSENIC COMPOUND, SOLID, N.O.S. (Lithium arsenate)

Special marking:
Designation of goods:
Limited quantities (LQ)
Transport category LQ18 D/E Tunnel restriction code

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class: UN Number: 6.1 1557 Label
Packaging group:
Marine pollutant:

No

Correct technical name: ARSENIC COMPOUND, SOLID, N.O.S. (Lithium arsenate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: UN/ID Number: 1557 Label
Packaging group:
Correct technical name: 6.1 II

ÄRSENIC COMPOUND, SOLID, N.O.S. (Lithium arsenate)

UN "Model Regulation":

UN1557, ARSENIC COMPOUND, SOLID, N.O.S., 6.1, II Environmentally hazardous substance, solid; Marine Pollutant **Environmental hazards:**

15 Regulatory information

Designation according to EC guidelines:

Code letter and hazard designation of product:



T Toxic

N Dangerous for the environment

Risk phrases:

May cause cancer.
 23/25 Also toxic by inhalation and if swallowed.
 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

53 Avoid exposure - obtain special instructions before use.
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
60 This material and its container must be disposed of as hazardous waste.
61 Avoid release to the environment. Refer to special instructions/safety data sheets.

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals. This product contains arsenic and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Abbreviations and acronyms:

Health, Safety and Environmental Department.

Zachariah Holt

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International RID: Règlement international Maritime Code for Dangerous Goods

[ATA: International Air Transport Association |

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)