E-mail: gcat@matthey.com

www.alfa-chemcat.com

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.08.2010 Revision: 22.08.2010

1 Identification of substance

Product details

Trade name 4-Chlorobenzenesulfonyl isocyanate

Stock number:

Alfa Aesar GmbH & Co.KG Benzstrasse 3 Manufacturer/Supplier:

D-76185 Karlsruhe / Germany

Informing department:

Product safety department. Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240 Emergency information:

2 Hazards identification

Hazard designation:

C Corrosive

Information pertaining to particular dangers

for man and environment

GHS label elements

R 14 Reacts violently with water. R 20/22 Harmful by inhalation and if swallowed.

Causes burns.
May cause sensitisation by inhalation.

R 34 R 42

Danger

Danger

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.



H314 - Causes severe skin burns and eye damage.



H302 - Harmful if swallowed. H332 - Harmful if inhaled.

Response:

EUH014 - Reacts violently with water.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P285 In case of inadequate ventilation wear respiratory protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Storage: Disposal: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Designation: (CAS#)

4-Chlorobenzenesulfonyl isocyanate (CAS# 5769-15-3)

4 First aid measures

Prevention:

General information

Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms After inhalation

persist. Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice. After skin contact

Rinse opened eye for several minutes under running water. Then consult doctor. Seek immediate medical advice.

After eye contact After swallowing

5 Fire fighting measures

Protective equipment:

Suitable extinguishing agents
For safety reasons unsuitable extinguishing

Special hazards caused by the material, its products of combustion or flue gases:

CO2, sand, extinguishing powder. Do not use water.

Water.

Can be released in case of fire: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulphur oxides (SOx)

Sulphur oxides (SOX)
Hydrogen chloride (HCI)
Possibly Hydrogen cyanide (HCN)
Reacts violently with water
Wear self-contained breathing apparatus.
Wear full protective suit.

6 Accidental release measures

Person-related safety precautions:

Measures for environmental protection:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to item 13. Measures for cleaning/collecting:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

Additional information:

Handling Information for safe handling:

Handle under dry protective gas. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about protection against

explosions and fires:

Keep ignition sources away - Do not smoke.

(Contd. of page 1)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.08.2010 Revision: 22.08.2010

Trade name 4-Chlorobenzenesulfonyl isocyanate

Storage Requirements to be met by storerooms and

containers:

Information about storage in one common storage facility:

Refrigerate

Protect from heat. Store away from water. Store away from oxidizing agents. Store away from strong bases.

Further information about storage

Store under dry inert gas. Protect from humidity and keep away from water. This product is moisture sensitive.

Keep container tightly sealed.

Store in a locked cabinet or with access restricted to technical experts or their assistants. Store III a ... Refrigerate

8 Exposure controls and personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require

monitoring at the workplace: Additional information:

Not required. No data

Personal protective equipment General protective and hygienic measures

Breathing equipment: Protection of hands: Material of gloves

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Impervious gloves

Penetration time of glove material

Eye protection:

Body protection:

Impervious gloves Not determined

Safety glasses
Tightly sealed safety glasses.
Face protection
Full face protection
Protective work clothing.

9 Physical and chemical properties:

General	Information	

Form: Liquid Colour: Smell: Colourless Pungent

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined 120-121°C (0.5mm Hg) Not determined

Flash point: Ignition temperature:

> 110°C Not determined

Decomposition temperature: Danger of explosion:

Not determined Product is not explosive

Critical values for explosion:

Upper: Steam pressure:

Not determined Not determined Not determined

Density at 20°C

1.457 g/cm³ Reacts violently

Solubility in / Miscibility with Water:

10 Stability and reactivity

avoided: Materials to be avoided:

Thermal decomposition / conditions to be

No decomposition if used and stored according to specifications.

Heat

Water/moisture Oxidizing agents

Dangerous reactions: Dangerous products of decomposition:

Reacts violently with water
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Sulphur oxides (SOx)

Hydrogen chloride (HCI)
Possibly Hydrogen cyanide (HCN)

11 Toxicological information

Acute toxicity:

Primary irritant effect: on the skin: on the eye: Sensitization:

Additional toxicological information:

Corrosive effect on skin and mucous membranes.
Strong corrosive effect.
Sensitization possible by inhalation.
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA

or ACGIH.

(Contd. on page 3)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.08.2010 Revision: 22.08.2010

Trade name 4-Chlorobenzenesulfonyl isocyanate

Sensitisation May cause sensitisation by inhalation. (Contd. of page 2)

12 Ecological information:

Additional ecological information: General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:

Recommendation

Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)



ADR/RID-GGVS/E Class: Kemler Number: 8 (CT1) Corrosive substances.

UN-Number: Packaging group: Label

8+6.1 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (4-Chlorobenzenesulfonyl isocyanate) LQ22 2 E

Designation of goods: Limited quantities (LQ) Transport category Tunnel restriction code

Maritime transport IMDG/GGVSea:



IMDG/GGVSea Class: UN Number: 8 2922 Label
Packaging group:
Marine pollutant:
Correct technical name: 8+6.1

No CORROSIVE LIQUID, TOXIC, N.O.S. (4-Chlorobenzenesulfonyl isocyanate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: UN/ID Number: 8 2922 Label 8+6.1

Packaging group: Correct technical name: CORROSIVE LIQUID, TOXIC, N.O.S. (4-Chlorobenzenesulfonyl isocyanate)

UN "Model Regulation": UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II

15 Regulatory information

Designation according to EC guidelines: Code letter and hazard designation of

product:



C Corrosive

Risk phrases:

14 Reacts violently with water. 20/22 Harmful by inhalation and if swallowed. Causes burns.
May cause sensitisation by inhalation.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Safety phrases:

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where 36/37/39

possible).

National regulations

Information about limitation of use:

For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed.

Water hazard class 1 (Self-assessment): slightly hazardous for water. Water hazard class:

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.

Health, Safety and Environmental Department.

Zachariah Holt

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Civil Association

IATA: PoGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO: International Civil Aviation Organization

ICAO: International Civil Aviation of Capalization

ICAO: Chemical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society) Abbreviations and acronyms: