

Safety Data Sheet
according to 1907/2006/EC, Article 31

Revision: 13.07.2010

Printing date 13.07.2010

1 Identification of substance**Product details**

Trade name

1-Chloro-2-methylbutane

Stock number:

L11371

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
Benzstrasse 3
D-76185 Karlsruhe / GermanyE-mail: gcat@matthey.com
www.alfa-chemcat.com

Informing department:

Product safety department.

Emergency information:

Giftnotruf Universität Mainz / Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240**2 Hazards identification**

Hazard designation:

Xi Irritant
F Highly flammable

Information pertaining to particular dangers for man and environment

R 11 Highly flammable.
R 36/37/38 Irritating to eyes, respiratory system and skin.

GHS label elements

**Danger**

H225 - Highly flammable liquid and vapour.

**Warning**

H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.
 H335 - May cause respiratory irritation.
 P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P241 Use explosion-proof electrical/ventilating/lighting/equipment.
 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Prevention:

Response:

Storage:

Disposal:

3 Composition/information on ingredients

Chemical characterization:

Designation: (CAS#)

1-Chloro-2-methylbutane (CAS# 107-84-6), 100%

4 First aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

After swallowing

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek immediate medical advice.

5 Fire fighting measuresSuitable extinguishing agents
Special hazards caused by the material, its products of combustion or flue gases:

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Protective equipment:

Can be released in case of fire:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Wear self-contained breathing apparatus.
Wear full protective suit.**6 Accidental release measures**

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:
Measures for cleaning/collecting:Ensure adequate ventilation
Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

Additional information:

Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.**7 Handling and storage**

Handling

Information for safe handling:

Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

Storage

Requirements to be met by storerooms and containers:

Store in cool location.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.**8 Exposure controls and personal protection**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with critical values that require monitoring at the workplace:

Not required.

(Contd. on page 2)
GB

Safety Data Sheet
according to 1907/2006/EC, Article 31

Revision: 13.07.2010

Printing date 13.07.2010

Trade name **1-Chloro-2-methylbutane**

Additional information:	No data	(Contd. of page 1)
Personal protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.	
Breathing equipment:	Use breathing protection with high concentrations.	
Eye protection:	Safety glasses Face protection	
Body protection:	Protective work clothing.	

9 Physical and chemical properties:

General Information		
Form:	Liquid	
Colour:	Colourless	
Smell:	Not determined	
Change in condition		
Melting point/Melting range:	-104°C	
Boiling point/Boiling range:	99°C	
Sublimation temperature / start:	Not determined	
Flash point:	16°C	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Critical values for explosion:		
Lower:	1.5 Vol %	
Upper:	7.4 Vol %	
Steam pressure:	Not determined	
Density	Not determined	

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
Materials to be avoided:	Acids Oxidizing agents
Dangerous reactions:	No dangerous reactions known
Dangerous products of decomposition:	Carbon monoxide and carbon dioxide Hydrogen chloride (HCl)

11 Toxicological information

Acute toxicity:	
Primary irritant effect:	
on the skin:	Irritant for skin and mucous membranes.
on the eye:	Irritant effect.
Sensitization:	No sensitizing effect known.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.



12 Ecological information:

Additional ecological information:	
General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:	
Recommendation	Consult state, local or national regulations for proper disposal. Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to official regulations.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)	
	
ADR/RID-GGVS/E Class:	3 (F1) Flammable liquids.
Kemler Number:	33
UN-Number:	1107
Packaging group:	II
Label	3
Designation of goods:	1107 AMYL CHLORIDES
Limited quantities (LQ)	LQ4
Transport category	2
Tunnel restriction code	D/E
Maritime transport IMDG/GGVSea:	
	
IMDG/GGVSea Class:	3
UN Number:	1107
Label	3
Packaging group:	II

(Contd. on page 3)
GB

Safety Data Sheet
according to 1907/2006/EC, Article 31

Revision: 13.07.2010

Printing date 13.07.2010

Trade name **1-Chloro-2-methylbutane**

(Contd. of page 2)

Marine pollutant: No
Segregation groups: Liquid halogenated hydrocarbons
Correct technical name: AMYL CHLORIDES

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 3
UN/ID Number: 1107
Label: 3
Packaging group: II
Correct technical name: AMYL CHLORIDES

UN "Model Regulation": UN1107, AMYL CHLORIDES, 3, II

15 Regulatory information**Designation according to EC guidelines:****Code letter and hazard designation of product:**

Xi Irritant
F Highly flammable

Risk phrases:

11 Highly flammable.
36/37/38 Irritating to eyes, respiratory system and skin.

Safety phrases:

9 Keep container in a well-ventilated place.
16 Keep away from sources of ignition - No smoking.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
33 Take precautionary measures against static discharges.
37 Wear suitable gloves.
60 This material and its container must be disposed of as hazardous waste.

National regulations**Information about limitation of use:**

Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.**Contact:**

Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

GB