Dihexyl Phthalate Revision number: 1 **Revision date: 12/01/2010** Page 1 of 4

Revision date: 12/01/2010

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product name: Dihexyl Phthalate

Product code: P1344

TCI (Shanghai) DEVELOPMENT CO., LTD. Company:

Address: No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China

Responsible Department: Sales Department +86-(0)21-67121386 Telephone: Fax: +86-(0)21-67121385 e-mail: sales@tcishanghai.com.cn

Revision number:

2. HAZARDS IDENTIFICATION

Classification of the GHS

PHYSICAL HAZARDS Not classified

HEALTH HAZARDS

Skin corrosion/irritation Category 3 **ENVIRONMENTAL HAZARDS** Not classified

GHS label elements

Pictograms or hazard symbols None Signal word Warning

Causes mild skin irritation **Hazard statement**

Precautionary statements

[Response] If skin irritation occurs: Get medical advice/attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Substance/mixture:

Dihexyl Phthalate Component(s): Percent: >98.0%(GC) **CAS Number:** 84-75-3

Synonyms: Phthalic Acid Dihexyl Ester

Chemical Formula: $C_{20}H_{30}O_4$

4. FIRST AID MEASURES

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Inhalation:

Get medical advice/attention if you feel unwell.

Remove/Take off immediately all contaminated clothing. Gently wash with plenty of Skin contact:

soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye contact:

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion: Get medical advice/attention if you feel unwell. Rinse mouth.

Protection of first-aiders: A rescuer should wear personal protective equipment, such as rubber gloves and air-

tight goggles.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing Dry chemical, foam, water spray, carbon dioxide.

media:

Extinguishing media not to Solid streams of water

be used:

5. FIRE-FIGHTING MEASURES

Specific methods: Fire-extinguishing work is done from the windward and the suitable fire-extinguishing

method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable

containers if safe to do so.

Special protective When extinguishing fire, be sure to wear personal protective equipment.

equipment for firefighters:

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled

emergency procedures: around the leakage area by roping off, etc. **Environmental precautions:** Prevent product from entering drains.

Methods and materials for containment and cleaning up:

Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and

regulations.

7. HANDLING AND STORAGE

Handling

Technical measures: Handling is performed in a well ventilated place. Wear suitable protective equipment.

Prevent generation of vapor or mist. Wash hands and face thoroughly after handling.

Use a ventilation, local exhaust if vapor or aerosol will be generated.

Advice on safe handling:

Avoid contact with skin, eyes and clothing.

Storage

Storage conditions: Keep container tightly closed. Store in a cool and dark place.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Law is followed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Install a closed system or local exhaust as possible so that workers should not be

exposed directly. Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection: Vapor respirator. Follow local and national regulations.

Hand protection: Protective gloves.

Eye protection: Safety glasses. A face-shield, if the situation requires. **Skin and body protection:** Protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid clear

Color: Colorless - Very pale yellow

Odor: No data available PH: No data available Melting point/freezing point: No data available

Boiling Point/Range: 333 °C Flash Point: 177°C

Explosive limits

Lower: No data available
Upper: No data available
Vapor Pressure: 0.19x10⁻²Pa/25°C

Vapor Density: 11.5 Density: 1.01

Solubility: Insoluble in: Water (0.24mg/L)

 $\log Pow = 6.82$

10. STABILITY AND REACTIVITY

Stability: Stable under proper conditions.

Reactivity: No special reactivity has been reported.

Incompartible materials: oxidizing agents

Hazardous Decomposition Carbon monoxide, Carbon dioxide

Products:

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: orl-rat LD50:29600 mg/kg

skn-rbt LD50:>20 mL/kg unr-mus LD50:22500 mg/kg unr-rat LD50:>33 g/kg

skn-rbt 500 mg/24H MLD Skin corrosion/irritation: Serious eye

No data available

damage/irritation:

No data available Germ cell mutagenicity:

Carcinogenicity:

IARC = No data available NTP = No data available

Reproductive toxicity: orl-mus TDLo:181 g/kg(18W male)

orl-mus TDLo:13 g/kg(7D male/7D pre-22D preg)

orl-mus TDLo:7920 mg/kg(6-13D preg) orl-rat TDLo:9600 mg/kg(4D male)

RTECS Number: TI1100000

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No data available Fish: No data available Crustacea: Algae: No data available Persistence / degradability: No data available No data available Bioaccumulative

potential(BCF): Mobillity in soil

log Pow: 6.82 1.2 x 10⁵ Soil adsorption (Koc): Henry's Law 2.63 x 10⁻⁵

constant(PaM³/mol):

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

Hazards Class: Does not correspond to the classification standard of the United Nations

UN-No: Not Listed

15. REGULATORY INFORMATION

Safe management ordinance of dangerous chemical product (State Council announces on January 26, 2002): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

16. OTHER INFORMATION

The reference company name of written contents

TCI (Shanghai) DEVELOPMENT CO., LTD. Company:

No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Address:

Department: R&D (Information Management) Department

16. OTHER INFORMATION

Telephone: +86-(0)21-67121388*461 **Fax**: +86-(0)21-67121385

This MSDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.