2-Benzyloxy-3-bromopyridine
H27828
Alfa Aesar GmbH & Co.KG
Benzstrasse 3 E-mail: gcat@matthey.cor D-76185 Karlsruhe / Germany www.alfa-chemcat.cor
Product safety department
Giftnotruf Universität Mainz / Poison Information Center Mainz www.giftinfo.uni-mainz.de Telefon:+49(0)6131/19240
Xi Irritant
D 00/07/00 limitating to allog reconstrators and allog
R 36/37/38 Irritating to eyes, respiratory system and skin.
Warning
H315 - Causes skin irritation.
H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
P261 Avoid breathing dust/fume/gas/mist/vapours/sprav
P302+P352 IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label).
P321 Specific treatment (see on this label). P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
'S
5
2-Benzyloxy-3-bromopyridine (CAS# 52200-49-4): 100%
Supply freeh air. If required provide artificial respiration. Keep patient warm. Consult doctor if symptoms parsist
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.
Rinse opened eye for several minutes under running water. Then consult doctor.
Seek immediate medical advice.
Seek immediate medical advice.
Seek immediate medical advice. CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire:
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx)
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx)
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See Section 7 for information on personal protection equipment
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See Section 7 for information on personal protection equipment
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool. dry place in tightly closed containers.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on disposal. Keep containers tightly sealed.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool. dry place in tightly closed containers.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOx) Wear self-contained breathing apparatus. Wear full protective suit. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBR) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBR) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry place int. Store in cool, dry place int igntly sealed. Store in cool, dry place intightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBR) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on personal protection equipment. See Section 13 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure agod ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure adequire ments. Store away from oxidizing agents. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bornide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear full protective suit. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 7 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure god ventilation/exhaustion at the workplace. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Ensure god ventilation is neal sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool of the per minute.
CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Can be released in case of fire: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Nitrogen oxides (NOX) Wear self-contained breathing apparatus. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Do not allow material to be released to the environment without proper governmental permits. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling See section 8 for information on disposal. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure adequire ments. Store away from oxidizing agents. Keep ignition sources away - Do not smoke. No special requirements. Store away from oxidizing agents. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers.
f.

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2010

Printing date 11.08.2010	Revision: 11.08.2010	
Trade name 2-Benzyloxy-3-bromopyridine		
Additional information: Personal protective equipment	No data (Contd. of page 1)	
General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer.	
Breathing equipment: Protection of hands: Material of gloves	Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Impervious gloves	
Penetration time of glove material Eye protection:	No't determiñed Safety glasses Face protection	
Body protection:	Protective work clothing.	
9 Physical and chemical properties:		
General Information Form:	Liquid	
Colour:	Colourless Pale yellow	
Smell:	Not determined	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined	
Flash point:	Not determined	
Ignition temperature:	Not determined	
Decomposition temperature: Danger of explosion:	Not determined Product is not explosive.	
Critical values for explosion: Lower: Upper:	Not determined Not determined	
Steam pressure:	Not determined	
Density	Not determined	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
10 Stability and reactivity Thermal decomposition / conditions to be avoided: Materials to be avoided: Dangerous reactions: Dangerous products of decomposition:	No decomposition if used and stored according to specifications. Oxidizing agents No dangerous reactions known Carbon monoxide and carbon dioxide Hydrogen bromide Nitrogen oxides (NOx)	
11 Toxicological information Acute toxicity: Primary irritant effect: on the skin: on the eye: Sensitization: Additional toxicological information:	Irritant for skin and mucous membranes. Irritant effect. No sensitizing effect known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
12 Ecological information: Additional ecological information: General notes:	Generally not hazardous for water. Do not allow material to be released to the environment without proper governmental permits.	
13 Disposal considerations Product: Recommendation	Consult state, local or national regulations for proper disposal. Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.	
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.	
14 Transport information		
Land transport ADR/RID and GGVS/GGVE (c ADR/RID-GGVS/E Class:	cross-border/domestic) None	
ADR/RID-GGVS/E Class: Maritime transport IMDG/GGVSea: IMDG/GGVSea Class: Marine pollutant:	None No	
	(Contd. on page 3)	

Page 3/3

rade name 2-Benzvloxv-3-bromopvridir		
rade name 2-Benzyloxy-3-bromopyridine		
	(Contd. of page	
Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class:	None	
Transport/Additional information:	Not dangerous according to the above specifications.	
15 Regulatory information		
Designation according to EC guidelines:		
Code letter and hazard designation of product:	Xi Irritant	
Risk phrases:	36/37/38 Irritating to eyes, respiratory system and skin.	
Safety phrases:	26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 37 Wear suitable gloves.	
National regulations		
Information about limitation of use:	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed.	
Water hazard class:	Generally not hazardous for water.	
16 Other information: Employers should use this information only as a information to ensure proper use and protect th conformance with this Material Safety Data She	a supplement to other information gathered by them, and should make independent judgement of suitability of this e health and safety of employees. This information is furnished without warranty, and any use of the product not in set, or in combination with any other product or process, is the responsibility of the user.	
Department issuing data specification sheet Contact:	:: Health, Safety and Environmental Department. Zachariah Holt	
Abbreviations and acronyms:	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of	
	Dangerous Goods by Road) RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)	
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)GB	